SIEMENS

QPJ3200



Siemens QPJ breakers are intended for use only in Siemens EQIII 3-phase load centers from 125 - 400 Amps. The breaker takes up six 1 in. breaker positions, 3 on each side of the panel. Used to protect your electrical system from short circuit or overload conditions.

- 10K AIC series rating
- Designed for residential/commercial applications
- Plug-on branch circuit breaker for Siemens single phase load centers
- UL listed
- Wire range #4 - 300 kcmil Cu/Al

Documents

Speed Fax Sections 1

Speed Fax Sections 2

Certificates

Standard	UL 489

Electricity

Voltage / between phase and Ground (GND) / rated value	120 V
Voltage / between phase and phase / rated value	240 V
Continuous current / rated value	75 A

General Technical Data

Number of poles	2
Suitability for operation	Electrical Distribution

Mechanical Design

Design of the overload release	Thermal Magnetic
Height [in]	4 in
Design of the product	EQ
Depth [in]	6 in
Width [in]	4 in

Model

product brandname	SIEMENS
Type of electrical connection	BOLT-ON

Speed Fax Sections 3

Delivery Information

Export Control Class	AL : N / ECCN : EAR99
Net Weight	3.28
Product_Dimensions (LxWxH)	17.3X8.5X3.9

Additional Product Information

EAN/UPC	30783643264978
Country of Origin	MX, US
Commodity Code	8536200020
RoHS Compliance	*DQ

Others 4

Speed Fax Sections 5

Speed Fax Sections 6



Brochures 7



Speed Fax Sections 8



Speed Fax Sections 9