SIEMENS

Data sheet 3VA9977-0CH72



operating unit w. Bowden cable Max-Flex operator, only handle steel handle, epoxy-coated NEMA 1, 12, 3R black = OFF, red = ON only for the UL market only for UL applications not approved for IEC

Model	
product brand name	SENTRON
product designation	Operating unit Max-Flex, handle single
accessories	Operating unit

Certificates


General Product Approval					EMV
CE EG-Konf.	UKCA	UL	Miscellaneous	EAC	RCM

Marine / Shipping	other			Environment	
Lloyd's Register LRS	Miscellaneous	Confirmation	Miscellaneous	Environmental Confirmations	Environmental Confirmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9977-0CH72
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3VA9977-0CH72
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9977-0CH72
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications

Subject to change without notice
© Copyright Siemens



last modified: 5/26/2024

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens