SIEMENS

Data sheet 7KM9300-0AM00-0AA0



expansion module RS485, plug-in, for 7KM PAC3200 / 4200 / 3VA COM100 / 800

Model	
product brand name	SENTRON
product designation	RS 485 expansion module
type of voltage supply	via PAC 3200 / PAC4200 / COM100 / 800
General technical data	
MTBF	222.3 y
galvanic isolation	Maximum insulation voltage: 500V AC
reference code / acc. to DIN 40719 extended according to IEC 204-2 / acc. to IEC 750	P
degree of pollution	2 according to IEC 61131
Protection class	
protection class IP	IP20
combustibility class acc. to UL 94	V 0
suitability for use	
● reactive power meter	No
Connections	
type of electrical connection	screw-type terminals
Mechanical Design	
height	63 mm
width	43 mm
depth	22 mm
fastening method	pluggable
Environmental conditions	
ambient temperature / during operation	
● minimum	-5 °C
● maximum	55 °C
ambient temperature / during storage	
● minimum	-25 °C
● maximum	70 °C
Certificates	
reference code / acc. to DIN EN 61346-2	P

General Product Approval	EMC	Declaration of Conformity	other
KC	RCM	UK Declaration of Conformity EG-Konf.	Confirmation


Subject to change without notice
© Copyright Siemens

other


Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KM9300-0AM00-0AA0
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/7KM9300-0AM00-0AA0
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KM9300-0AM00-0AA0
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications



Subject to change without notice
© Copyright Siemens



Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens