SIEMENS

Data sheet 7KM9200-0AD00-0AA0

expansion module I(N),I(Diff),analog N conductor measurement, residual current measurement, 2 analog inputs, plug-in, for 7KM PAC3200 / 4200



Model	
Product brand name	SENTRON
Product designation	I(N),I(Diff) expansion module, analog N conductor measurement, differential current measurement, 2 analog inputs
Type of voltage supply	from PAC 3200 / 4200
General technical data	
Galvanic isolation	Maximum insulation voltage: 500V AC
Protection class	
Protection class IP	IP20
Combustibility class acc. to UL 94	V 0
Connections	
Type of electrical connection	screw-type terminals
Mechanical Design	
Height	63 mm
Width	43 mm
Depth	34 mm
Mounting type	pluggable

Subject to change without notice
© Copyright Siemens

Environmental conditions	
Degree of pollution	2 according to IEC 61131
Ambient temperature	
• during operation / minimum	-10 °C
• during operation / maximum	55 °C

Certificates	
Certificate of suitability / as EC declaration of conformity	EN 61010-1:2010; EN61326-1:2013; EN50581:2012

Declaration of Conformity

CE
EG-Konf.

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KM9200-0AD00-0AA0


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/7KM9200-0AD00-0AA0

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KM9200-0AD00-0AA0

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://www.siemens.com/specifications

Subject to change without notice
© Copyright Siemens



Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens