
SIEMENS

Show actual product details

Data sheet 3VA9978-0BB27

UNDERVOLTAGE RELEASE 440-480 V AC 50/60 HZ ACCESSORY FOR 3VA4/5/6



Model	
product brandname	SENTRON

General technical data	
Degree of pollution	3
Overvoltage category	III
Apparent power consumption / maximum	2.5 V·A

Voltage	
Tension assignée d'isolement Ui	690 V
Surge voltage resistance	4 kV

Mechanical Design	
Height	65.1 mm
Width	25.7 mm
Number of slots	3
Depth	28.8 mm
Net weight	91 g
Wire stripping length	10 mm
Wire stripping length [in]	0.4 in

Subject to change without notice
© Copyright Siemens AG

Certificates

General Product Approval	EMC	Declaration of Conformity	other
EAC	RCM	CE EG-Konf.	sonstig

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs


Industry Mall (Online ordering system)
https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3VA9978-0BB27


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
http://support.automation.siemens.com/WW/view/en/3VA9978-0BB27/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9978-0BB27


CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://www.siemens.com/specifications





Subject to change without notice
© Copyright Siemens AG



last modified: 11/25/2016

Subject to change without notice
© Copyright Siemens AG